

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
1	S4 - 19°	19	R51	A1 Front	3rd FOH	HPL 575 w		3
2	S4 - 19°	20	R51	A2 Front	3rd FOH	HPL 575 w		1
3	S4 - 19°	18	R51	A3 Front	3rd FOH	HPL 575 w		2
4	S4 - 19°	448	R51	A4 Front	3rd FOH	HPL 575 w		7
5	S4 - 19°	112	R51	A5 Front	3rd FOH	HPL 575 w		9
6	S4 - 26°	52	R51	A6 Front	2nd FOH	575W		3
7	S4 - 26°	54	R51	A7 Front	2nd FOH	575W		4
8	S4 - 26°	53	R51	A8 Front	2nd FOH	575W		6
9	S4 - 26°	49	R51	A9 Front	2nd FOH	575W		9
10	S4 - 26°	46	R51	A10 Front	2nd FOH	575W		13
11	S4 - 19°	113	R02	A1 Front	3rd FOH	HPL 575 w		16
12	S4 - 19°	7	R02	A2 Front	3rd FOH	HPL 575 w		18
13	S4 - 19°	5	R02	A3 Front	3rd FOH	HPL 575 w		22
14	S4 - 19°	3	R02	A4 Front	3rd FOH	HPL 575 w		23
15	S4 - 19°	4	R02	A5 Front	3rd FOH	HPL 575 w		24
16	S4 - 26°	34	R02	A6 Front	2nd FOH	575W		17
17	S4 - 26°	31	R02	A7 Front	2nd FOH	575W		21
18	S4 - 26°	27	R02	A8 Front	2nd FOH	575W		24
19	S4 - 26°	25	R02	A9 Front	2nd FOH	575W		26
20	S4 - 26°	28	R02	A10 Front	2nd FOH	575W		27
21								
21	S4 -26°	280		US Front	2nd Lx	HPL 575 w		
22	S4 -26°	285		US Front	2nd Lx	HPL 575 w		8
23	S4 - 26°	286		US Front	2nd Lx	HPL 575 w		14
24	S4 - 26°	290		US Front	2nd Lx	HPL 575 w		19
25	S4 -26°	269		US Front	2nd Lx	HPL 575 w		
27								
26	S4 -26°	272		US Front	2nd Lx	HPL 575 w		
27	S4 - 26°	271		US Front	2nd Lx	HPL 575 w		23
28	S4 - 26°	265		US Front	2nd Lx	HPL 575 w		28
29	S4 -26°	259		US Front	2nd Lx	HPL 575 w		34
30	S4 -26°	260		US Front	2nd Lx	HPL 575 w		
34								
31	ClayPaky Actoris	15		A1 Front	3rd FOH	LED	2/310	
32	ClayPaky Actoris			A2 Front	3rd FOH	LED	2/325	
33	ClayPaky Actoris	16		A3 Front	3rd FOH	LED	2/340	
34	ClayPaky Actoris			A4 Front	3rd FOH	LED	2/355	
35	ClayPaky Actoris			A5 Front	3rd FOH	LED	2/370	
36	ClayPaky Actoris	47		A6 Front	2nd FOH	LED	2/385	
37	ClayPaky Actoris			A7 Front	2nd FOH	LED	2/400	
38	ClayPaky Actoris	48		A8 Front	2nd FOH	LED	2/415	
43	ClayPaky Actoris			A9 Front	2nd FOH	LED	2/430	
44	ClayPaky Actoris			A10 Front	2nd FOH	LED	2/445	
41	S4 - 26°	444		HL Entrance	3rd FOH			
42	S4 - 26°	109		HL Landing	3rd FOH			
43	S4 - 26°	12		HL Centre Cro	3rd FOH			

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
44	S4 - 26°	10		HR Centre Crc	3rd FOH			
45	S4 - 26°	8		HR Landing	3rd FOH			
46	S4 - 26°	13		HR Entrance	3rd FOH			
47	S4 - 36°	56		HL Stairs	2nd FOH			
48	S4 - 36°	21		HR Stairs	2nd FOH			
54								
51	S4 - 19°	449		Special	3rd FOH	HPL 750W		5
52	S4 - 19°	447		Special	3rd FOH	HPL 750W		8
53	S4 - 19°	111		Special	3rd FOH	HPL 750W		12
54	S4 - 19°	11		Special	3rd FOH	HPL 750W		13
55	S4 - 19°	446		Special	3rd FOH	HPL 750W		17
56	S4 - 19°	445		Special	3rd FOH	HPL 750W		19
61								
61	S4 - 26°	51		Special	2nd FOH	750W		5
62	S4 - 19°	45		Special	2nd FOH	750W		10
63	S4 - 19°	41		Special	2nd FOH	750W		14
64	S4 - 19°	39		Special	2nd FOH	750W		16
65	S4 - 19°	35		Special	2nd FOH	750W		20
66	S4 - 26°	29		Special	2nd FOH	750W		25
67	PAR 64 MFL	58		Special	2nd FOH	1KW		1
68	PAR 64 MFL	57		Special	2nd FOH	1KW		2
69	PAR 64 MFL	22		Special	2nd FOH	1KW		28
70	PAR 64 MFL	23		Special	2nd FOH	1KW		29
71	S4 - 26°	131		Special	Torm	hpl 575w		2
72	S4 - 26°	132		Special	Torm	hpl 575w		3
73	S4 - 26°	107		Special	Torm	hpl 575w		2
74	S4 - 26°	108		Special	Torm	hpl 575w		3
75	S4 - 26°	74		Lecturn Top	1st FOH	HPL 575 w		5
76	S4 - 26	59		Lecturn Top	1st FOH	HPL 575 w		16
82				Special	2nd FOH			
79	S4 - 26°	40		Special	2nd FOH	750W		15
80	S4 - 19°	66		Conductors Sp	1st FOH	HPL 575 w		11
81	S4 - 26°	134		Caliper Top	Torm	hpl 575w		1
82	S4 - 26°	133		Caliper Top	Torm	hpl 575w		1
83	S4 - 26°	120		Caliper Top	Torm	hpl 575w		1
84	S4 - 26°	119		Caliper Top	Torm	hpl 575w		1
85	S4 - 26°	81		Caliper Front	Balcony	HPL 575w		6
86	S4 - 26°	82		Caliper Front	Balcony	HPL 575w		3
87	ClayPaky Actoris	96		Special	Lower Loge	LED	2/152	
88	ClayPaky Actoris	95		Special	Lower Loge	LED	2/167	
89	ClayPaky Actoris	96		Curtain Warme	Lower Loge	LED	2/460	
90	ClayPaky Actoris	95		Curtain Warme	Lower Loge	LED	2/475	
91	S4 - 10°	88		Special	Balcony	HPL 575w		1
92	S4 - 10°	87		Special	Balcony	HPL 575w		2
93	S4 - 10°	84		Special	Balcony	HPL 575w		4
94	S4 - 10°	83		Special	Balcony	HPL 575w		5

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
95	S4 - 10°	78		Special	Balcony	HPL 575w		7
96	S4 - 10°	77		Special	Balcony	HPL 575w		8
97	S4 - 19°	90		special	Loge	hpl 575w		1
98	S4 - 26°	91		special	Loge	hpl 575w		2
99	S4 - 19°	75		Special	Loge	hpl 575w		1
100	S4 - 26°	76		Special	Loge	hpl 575w		2
101	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/62	9
102	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/68	12
103	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/74	17
104	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/80	20
104	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/86	22
105	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/92	25
106	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/98	30
107	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/104	33
111	CS Par			Back	2nd Lx	Deep Blue Edition	2/110	7
112	CS Par			Back	2nd Lx	Deep Blue Edition	2/116	12
113	CS Par			Back	2nd Lx	Deep Blue Edition	2/122	16
114	CS Par			Back	2nd Lx	Deep Blue Edition	2/128	21
115	CS Par			Back	2nd Lx	Deep Blue Edition	2/134	26
116	CS Par			Back	2nd Lx	Deep Blue Edition	2/140	30
117	CS Par			Back	2nd Lx	Deep Blue Edition	2/146	35
121	CS Par			Back	3rd Lx	Deep Blue Edition	3/281	7
122	CS Par			Back	3rd Lx	Deep Blue Edition	3/287	11
123	CS Par			Back	3rd Lx	Deep Blue Edition	3/293	15
124	CS Par			Back	3rd Lx	Deep Blue Edition	3/299	19
125	CS Par			Back	3rd Lx	Deep Blue Edition	3/305	24
126	CS Par			Back	3rd Lx	Deep Blue Edition	3/311	28
127	CS Par			Back	3rd Lx	Deep Blue Edition	3/317	32
131	CS Par			Back	4th LX	Deep Blue Edition	3/9	7
132	CS Par			Back	4th LX	Deep Blue Edition	3/15	10
133	CS Par			Back	4th LX	Deep Blue Edition	3/21	13
134	CS Par			Back	4th LX	Deep Blue Edition	3/27	17
135	CS Par			Back	4th LX	Deep Blue Edition	3/33	21
136	CS Par			Back	4th LX	Deep Blue Edition	3/39	24
137	CS Par			Back	4th LX	Deep Blue Edition	3/45	27
140								
141	CS Spot 50°			LED Shin		Deep Blue Edition	3/141	
142	CS Spot 50°			LED Shin		Deep Blue Edition	3/147	
143	CS Spot 50°			LED Shin		Deep Blue Edition	3/153	
144	CS Spot 50°			LED Shin		Deep Blue Edition	3/159	
145	CS Spot 50°			LED Shin		Deep Blue Edition	3/165	
146	CS Spot 50°			LED Shin		Deep Blue Edition	3/171	
147	CS Spot 50°			LED Shin		Deep Blue Edition	3/177	
148	CS Spot 50°			LED Shin		Deep Blue Edition	3/183	
153								
150	CS Spot 26°			Colour Tips	Torm	Deep Blue Edition	2/200	4
150	CS Spot 26°			Colour Tips	Torm	Deep Blue Edition	2/212	4

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
151	CS Spot 36°			Colour Tips	Torm	Deep Blue Edition	2/194	2
152	CS Spot 36°			Colour Tips	Torm	Deep Blue Edition	2/206	2
153	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	3/93	1
154	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	3/117	1
155	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	3/99	1
156	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	3/123	1
157	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	3/105	1
158	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	3/129	1
159	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	3/111	1
160	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	3/135	1
167								
161	CS Cyc			Cyc Groundrow			4/55	
162	CS Cyc			Cyc Groundrow			4/62	
163	CS Cyc			Cyc Groundrow			4/69	
164	CS Cyc			Cyc Groundrow			4/76	
165	CS Cyc			Cyc Groundrow			4/83	
166	CS Cyc			Cyc Groundrow			4/90	
167	CS Cyc			Cyc Groundrow			4/97	
171	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/51	
172	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/57	
173	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/63	
174	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/69	
175	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/75	
176	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/81	
177	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	3/87	
181	CS Par			Floater		Deep Blue Edition	4/1	
182	CS Par			Floater		Deep Blue Edition	4/7	
183	CS Par			Floater		Deep Blue Edition	4/13	
184	CS Par			Floater		Deep Blue Edition	4/19	
185	CS Par			Floater		Deep Blue Edition	4/25	
186	CS Par			Floater		Deep Blue Edition	4/31	
187	CS Par			Floater		Deep Blue Edition	4/37	
188	CS Par			Floater		Deep Blue Edition	4/43	
189	CS Par			Floater		Deep Blue Edition	4/49	
191	S4 Lustr s2			Floater		LED	4/490	
192	S4 Lustr s2			Floater		LED	4/496	
203								
201	S4 Par	281		Backs	2nd Lx	HPL 750 w		9
202	S4 Par	287		Backs	2nd Lx	HPL 750 w		15
203	S4 Par	273		Backs	2nd LX	HPL 750 w		22
204	S4 Par	266		Backs	2nd Lx	HPL 750 w		27
205	S4 Par	261		Backs	2nd Lx	HPL 750 w		33
206	S4 PAR WFL	321		Backs	3rd Lx	HPL 750 w		8
207	S4 PAR WFL	318		Backs	3rd Lx	HPL 575 w		14
208	S4 PAR WFL	325		Backs	3rd Lx	HPL 750 w		20

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
209	S4 PAR WFL	302		Backs	3rd Lx	HPL 750 w		25
210	S4 PAR WFL	297		Backs	3rd Lx	HPL 750 w		31
211	S4 PAR WFL	356		Backs	4th LX	HPL 750w		9
212	S4 PAR WFL	341		Backs	4th LX	HPL 750w		12
213	S4 PAR WFL	344		Backs	4th LX	HPL 750w		18
214	S4 PAR WFL	333		Backs	4th LX	HPL 750w		22
215	S4 PAR WFL	331		Backs	4th LX	HPL 750w		25
226								
221	S4 ParNel	242	R79	Cool Top	1st lx	HPL 750 w		11
222	S4 ParNel	246	R79	Cool Top	1st lx	HPL 750 w		18
223	S4 ParNel	249	R79	Cool Top	1st Lx	HPL 750 w		24
224	S4 ParNel	233	R321	Cool Top	1st Lx	HPL 750 w		31
225	S4 Parnel	283	R321	Warm Top	2nd Lx	HPL 750 w		13
226	S4 ParNel	288	R79	Cool Top	2nd Lx	HPL 750 w		17
227	S4 Parnel	267	R79	Cool Top	2nd Lx	HPL 750 w		25
228	S4 Parnel	263	R79	Cool Top	2nd Lx	HPL 750 w		31
229	S4 Parnel	319	R79	Cool Top	3rd Lx	HPL 750 w		12
230	S4 Parnel	322	R79	Cool Top	3rd Lx	HPL 750 w		17
231	S4 Parnel	303	R79	Cool Top	3rd Lx	HPL 750 w		22
232	S4 Parnel	299	R79	Cool Top	3rd Lx	HPL 750 w		27
240								
241	S4 ParNel	243	R21	Warm Top	1st lx	HPL 750 w		13
242	S4 ParNel	247	R21	Warm Top	1st lx	HPL 750 w		19
243	S4 ParNel	248	R21	Warm Top	1st Lx	HPL 750 w		23
244	S4 ParNel	234	R79	Warm Top	1st lx	HPL 750 w		29
245	S4 Parnel	282	R79	Cool Top	2nd Lx	HPL 750 w		11
246	S4 ParNel	289	R321	Warm Top	2nd Lx	HPL 750 w		18
247	S4 Parnel	268	R321	Warm Top	2nd Lx	HPL 750 w		24
248	S4 Parnel	264	R321	Warm Top	2nd Lx	HPL 750 w		29
249	S4 Parnel	317	R321	Warm Top	3rd Lx	HPL 750 w		10
250	S4 Parnel	323	R321	Warm Top	3rd Lx	HPL 750 w		16
251	S4 Parnel	327	R321	Warm Top	3rd Lx	HPL 750 w		23
252	S4 Parnel	300	R321	Warm Top	3rd Lx	HPL 750 w		29
254								
261	S4 - 36°	73		Gobo Tips	1st FOH	HPL 575 w		1
261	S4 - 26°	73		Gobo Tips	1st FOH	HPL 575 w		2
262	S4 - 26°	456		Gobo Tips	1st FOH	HPL 575 w		19
262	S4 - 36°	456		Gobo Tips	1st FOH	HPL 575 w		20
263	S4 - 36°	238		Gobo Tip	1st Lx	HPL 575 w		1
263	S4 - 26°	238		Gobo Tip	1st Lx	HPL 575 w		2
264	S4 - 26°	226		Gobo Tip	1st lx	HPL 575 w		40
264	S4 - 36°	226		Gobo Tip	1st lx	HPL 575 w		41
265	S4 - 36°	274		Gobo Tip	2nd Lx	HPL 750 w		1
265	S4 - 26°	274		Gobo Tip	2nd Lx	HPL 750 w		2
266	S4 - 26°	256		Gobo Tip	2nd Lx	HPL 575 w		40
266	S4 - 36°	256		Gobo Tip	2nd Lx	HPL 575 w		41
267	S4 - 36°	310		Gobo Tip	3rd Lx	HPL 750 w		1
267	S4 - 26°	310		Gobo Tip	3rd Lx	HPL 750 w		2

**Port Theatre House Patch 2025
Channel Schedule**

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
268	S4 - 26°	294		Gobo Tip	3rd Lx	HPL 575 w		37
268	S4 - 36°	294		Gobo Tip	3rd Lx	HPL 575 w		38
269	S4 - 36°	352		Gobo Tip	4th LX	HPL 575W		1
269	S4 - 26°	352		Gobo Tip	4th LX	HPL 575W		2
270	S4 - 26°	328		Gobo Tip	4th LX	HPL 575W		32
270	S4 - 36°	328		Gobo Tip	4th LX	HPL 575W		33
271	S4 - 50°	359		Cyc Gobo	5th LX	HPL 575W		
272	S4 - 50°	360		Cyc Gobo	5th LX	HPL 575W		
273	S4 - 50°	361		Cyc Gobo	5th LX	HPL 575W		
274	S4 - 50°	362		Cyc Gobo	5th LX	HPL 575W		
280								
280	S4 - 36°	244		Top Down	1st Lx	HPL 575 w		14
281	S4 - 36°	237		Top Down	1st Lx	HPL 575 w		21
282	S4 - 36°	235		Top Down	1st lx	HPL 575 w		28
283	S4 - 36°	291		Top Down	2nd Lx	HPL 575 w		20
284	S4 - 36°	320		Top Down	3rd LX	HPL 750 w		9
285	S4 - 36°	316		Top Down	3rd Lx	HPL 575 w		13
286	S4 - 36°	324		Top Down	3rd Lx	HPL 575 w		18
287	S4 - 36°	326		Top Down	3rd Lx	HPL 575 w		21
288	S4 - 36°	301		Top Down	3rd Lx	HPL 575 w		26
289	S4 - 36°	298		Top Down	3rd Lx	HPL 575 w		30
290	Source 4 36deg	340		Top Down	4th LX	HPL 575W		11
291	S4 -36	343		Top Down	4th LX	HPL 575W		15
292	Source 4 36deg	332		Top Down	4th LX	HPL 575W		23
301								
301	S4 Par WFL	240	R80	Cool Tip	1st Lx	HPL 750w		4
301	S4 Par WFL	240	R80	Cool Tip	1st lx	HPL 750w		6
302	S4 Par WFL	231	R80	Cool Tip	1st lx	HPL 750w		36
302	S4 Par WFL	231	R80	Cool Tip	1st LX	HPL 750w		38
303	S4 Par WFL	276	R80	Cool Tip	2nd Lx	HPL 750w		4
303	S4 Par WFL	276	R80	Cool Tip	2nd Lx	HPL 750w		6
304	S4 Par WFL	258	R80	Cool tip	2nd LX	HPL 750w		36
304	S4 Par WFL	258	R80	Cool Tip	2nd Lx	HPL 750w		38
305	S4 Par WFL	313	R80	Cool Tip	3rd Lx	HPL 750w		4
305	S4 Par WFL	313	R80	Cool Tip	3rd Lx	HPL 750w		6
306	S4 Par WFL	293	R80	Cool Tip	3rd Lx	HPL 750w		33
306	S4 Par WFL	293	R80	Cool Tip	3rd Lx	HPL 750w		35
307	S4 Par WFL	354	R80	Cool Tip	4th LX	HPL 750w		4
307	S4 Par WFL	354	R80	Cool Tip	4th LX	HPL 750w		6
308	S4 Par WFL	330	R80	Cool Tip	4th LX	HPL 750w		28
308	S4 Par WFL	330	R80	Cool Tip	4th LX	HPL 750w		30
318								
311	S4 Par WFL	239	R26	Warm Tip	1st Lx	HPL 750w		3
311	S4 Par WFL	239	R26	Warm Tip	1st lx	HPL 750w		5
312	S4 Par WFL	228	R26	Warm Tip	1st Lx	HPL 750w		37
312	S4 Par WFL	228	R26	Warm Tip	1st Lx	HPL 750w		39
313	S4 Par WFL	275	R26	Warm Tip	2nd Lx	HPL 750w		3
313	S4 Par WFL	275	R26	Warm Tip	2nd Lx	HPL 750w		5

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
314	S4 Par WFL	257	R26	Warm Tip	2nd Lx	HPL 750w		37
314	S4 Par WFL	257	R26	Warm Tip	2nd Lx	HPL 750w		39
315	S4 Par WFL	311	R26	Warm Tip	3rd Lx	HPL 750w		3
315	S4 Par WFL	311	R26	Warm Tip	3rd Lx	HPL 750w		5
316	S4 Par WFL	292	R26	Warm Tip	3rd Lx	HPL 750w		34
316	S4 Par WFL	292	R26	Warm Tip	3rd Lx	HPL 750w		36
317	S4 Par WFL	353	R26	Warm Tip	4th LX	HPL 750w		3
317	S4 Par WFL	353	R26	Warm Tip	4th LX	HPL 750w		5
318	S4 Par WFL	329	R26	Warm Tip	4th LX	HPL 750w		29
318	S4 Par WFL	329	R26	Warm Tip	4th LX	HPL 750w		31
341								
341	S4 50°	428	R99	Overshin		575w		
342	S4 50°	376	R99	Overshin		575w		
343	S4 50°	426	R99	Overshin		575w		
344	S4 50°	384	R99	Overshin		575w		
345	S4 50°	420	R99	Overshin		575w		
346	S4 50°	390	R99	Overshin		575w		
347	S4 50°	416	R99	Overshin		575w		
348	S4 50°	392	R99	Overshin		575w		
355								
350	Source 4 36deg	136		High Side	Torm	HPL 575W		3
350	Source 4 36deg	115		High Side	Torm	HPL 575W		3
351	Source 4 26deg	135		High Side	Torm	HPL 575W		5
352	Source 4 26deg	116		High Side	Torm	HPL 575W		5
353	Source 4 36deg	156		High Side	SR Ladder	HPL 575W		4
354	Source 4 36deg	165		High Side	SL Ladder	HPL 575W		4
355	Source 4 36deg	157		High Side	SR Ladder	HPL 575W		4
356	Source 4 36deg	164		High Side	SL Ladder	HPL 575W		4
357	Source 4 36deg	158		High Side	SR Ladder	HPL 575W		4
358	Source 4 36deg	163		High Side	SL Ladder	HPL 575W		4
359	Source 4 36deg	154		High Side	SR Ladder	HPL 575W		4
360	Source 4 36deg	162		High Side	SL Ladder	HPL 575W		4
373								
381	S4 19°	445		I Cue	3rd FOH Low	HPL 575 w	2/14	
382	S4 19°	14		I cue	3rd FOH Low	HPL 575 w	2/18	
383	S4 19°	9		I cue	3rd FOH Low	HPL 575 w	2/22	
384	S4 19°	6		I cue	3rd FOH Low	HPL 575 w	2/26	
385	S4 26°	50		ICUE	2nd FOH	HPL 575W	2/30	
386	S4 26°	44		ICUE	2nd FOH	HPL 575w	2/34	
387	S4 26°	36		ICUE	2nd FOH	HPL 575w	2/38	
388	S4 26°	30		ICUE	2nd FOH	HPL 575w	2/42	
389	S4 -26°	241		ICUE	1st Lx	HPL 750 w	2/46	7
390	S4 - 26°	245		ICUE	1st LX	HPL 575 w	2/50	15
391	S4 - 26°	236		Icue	1st Lx	HPL 575 w	2/54	27
392	S4 - 26°	232		Icue	1st Lx	HPL 575 w	2/58	35
393	Source 4 26deg	342		ICUE	4th LX	HPL 575W	3/1	14
394	Source 4 26deg	345		ICUE	4th LX	HPL 575W	3/5	20

Port Theatre House Patch 2025
Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX
401	S4 Par Wide	70		apron scroller	1st FOH	HPL 575W	2/11
402	S4 Par Wide	67		apron scroller	1st FOH	HPL 575W	2/12
403	S4 Par Wide	62		apron scroller	1st FOH	HPL 575W	2/13
411	S4 Par Wide	71	R79	Apron Warm	1st FOH	HPL 575W	
412	S4 Par Wide	69	R79	Apron Warm	1st FOH	HPL 575W	
413	S4 Par Wide	64	R79	Apron Warm	1st FOH	HPL 575W	
414	S4 Par Wide	61	R79	Apron Warm	1st FOH	HPL 575W	
421	ParNel	72	R321	Apron Cool	1st FOH	HPL 575W	
422	ParNel	65	R321	Apron Cool	1st FOH	HPL 575W	
423	ParNel	60	R321	Apron Cool	1st FOH	HPL 575W	
441	LED Worklight	464		Work Light	1st	LED	
442	LED Worklight	197		Work light	Midstage Pipe	LED	
443	LED Worklight	465		Work light	4th	LED	
444	LED Worklight	198		Work light	SR High Rail	LED	
445	LED Worklight	468		Work light	SL High Rail	LED	
511	Karif-LT			Flashy Flashy	2nd LX	LED	2/218
512	Karif-LT			Flashy Flashy	2nd LX	LED	2/264
513	Karif-LT			Flashy Flashy	3rd LX	LED	3/323
514	Karif-LT			Flashy Flashy	3rd LX	LED	3/369
516	Karif-LT			Flashy Flashy	Storage/4thLX	LED	4/189
517	Karif-LT			Flashy Flashy	Storage/4thLX	LED	4/235
601	House	479		House	Catwalk 2 HR		
602	House	480		House	Catwalk 2 HL		
603	House	481		House	Catwalk 3 HR		
604	House	490		House	Catwalk 3 HL		
605	House	491		House	Rear wall main floor		
606	House	492		House	Outside Under B	LED	
607	House	493		House	Inside Under B	LED	
608	House	494		House	Main floor entry aisles		
609	House	495		House	Main floor loges		
610	House	496		House	½ Chandelier		
611	House	497		House	½ Chandelier		
612	House	506		House	Rear Balcony		
613	House	507		House	Rear Wall Balcony		
614	House	508		House	½ balcony loge	LED	
615	House	509		House	½ balcony loge	LED	
616	House	510		House	light locks		
993	External Fan				SR		4/507
994	External Fan				SL		4/508
995	Unique 2.1 Hazer				SR		4/509
996	Unique 2.1 Hazer				SL		4/511

Port Theatre House Patch 2025
Channel Schedule

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colou</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	
997	LED Power	15, 16, 47, 48, 95, 96, 121, 122, 159, 160, 229, 277, 278, 357, 358,						
998	Power Supplies	63, 312, 355, 227						
999	Karif-LT Power	262, 279, 315, 295, 335, 336					0	