

## Port Theatre Instrument Schedule Jan 2019

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	Inst. #
<b>3rd FOH</b>								
2	S4 - 19°	20	R51	A2 Front	3rd FOH	HPL 575 w		2
3	S4 - 19°	18	R51	A3 Front	3rd FOH	HPL 575 w		3
1	S4 - 19°	19	R51	A1 Front	3rd FOH	HPL 575 w		1
31	S4 - 26°	15	R68	FOH Cool Wash	3rd FOH	HPL 575 w		4
51	S4 - 19°	449		Special	3rd FOH	HPL 750W		5
41	S4 - 26°	16	R26	FOH warm Wash	3rd FOH	HPL 575 w		6
4	S4 - 19°	448	R51	A4 Front	3rd FOH	HPL 575 w		7
52	S4 - 19°	447		Special	3rd FOH	HPL 750W		8
5	S4 - 19°	112	R51	A5 Front	3rd FOH	HPL 575 w		9
42	S4 - 26°	13	R26	FOH Warm Wash	3rd FOH	HPL 575 w		10
32	S4 - 26°	12	R 68	FOH Cool Wash	3rd FOH	HPL 575 w		11
53	S4 - 19°	111		Special	3rd FOH	HPL 750W		12
54	S4 - 19°	11		Special	3rd FOH	HPL 750W		13
33	S4 - 26°	109		FOH Cool Wash	3rd FOH	HPL 575 w		14
43	S4 - 26°	10		FOH warm wash	3rd FOH	HPL 575 w		15
11	S4 - 19°	113	R02	A1 Front	3rd FOH	HPL 575 w		16
55	S4 - 19°	446		Special	3rd FOH	HPL 750W		17
12	S4 - 19°	7	R02	A2 Front	3rd FOH	HPL 575 w		18
56	S4 - 19°	445		Special	3rd FOH	HPL 750W		19
44	S4 - 26°	8	R26	FOH Warm Wash	3rd FOH	HPL 575 w		20
34	S4 - 26°	110	R68	FOH Cool Wash	3rd FOH	HPL 575 w		21
15	S4 - 19°	4	R02	A5 Front	3rd FOH	HPL 575 w		24
13	S4 - 19°	5	R02	A3 Front	3rd FOH	HPL 575 w		22
14	S4 - 19°	3	R02	A4 Front	3rd FOH	HPL 575 w		23
<b>3rd FOH lower</b>								
381	S4 19°	17		I Cue	3rd FOH Low	HPL 575 w	534	
382	S4 19°	14		I cue	3rd FOH Low	HPL 575 w	538	
383	S4 19°	9		I cue	3rd FOH Low	HPL 575 w	542	
384	S4 19°	6		I cue	3rd FOH Low	HPL 575 w	546	
CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	Inst. #
<b>2nd FOH</b>								
67	PAR 64 MFL	58		Special / VIU	2nd FOH	1KW		1
68	PAR 64 MFL	57		Special	2nd FOH	1KW		2
6	Source 4 26deg	52	R51	A6 Front	2nd FOH	575W		3
7	Source 4 26deg	54	R51	A7 Front	2nd FOH	575W		4
61	Source 4 26deg	51		Special	2nd FOH	750W		5
8	Source 4 26deg	53	R51	A8 Front	2nd FOH	575W		6
45	Source 4 26deg	48	R26	FOH Warm Wash	2nd FOH	575W		7
35	Source 4 26deg	47	R68	FOH Cool Wash	2nd FOH	575W		8
9	Source 4 26deg	49	R51	A9 Front	2nd FOH	575W		9
62	Source 4 19deg	45		Special	2nd FOH	750W		10
36	Source 4 26deg	42	R68	FOH Cool Wash	2nd FOH	575W		11
46	Source 4 26deg	43	R26	FOH Warm Wash	2nd FOH	575W		12
10	Source 4 26deg	46	R51	A10 Front	2nd FOH	575W		13
63	Source 4 19deg	41		Special	2nd FOH	750W		14
79	Source 4 26deg	40		Special	2nd FOH	750W		15
64	Source 4 19deg	39		Special	2nd FOH	750W		16
16	Source 4 26deg	34	R02	A6 Front	2nd FOH	575W		17
47	Source 4 26deg	37	R26	FOH Warm Wash	2nd FOH	575W		18
37	Source 4 26deg	38	R68	FOH Cool Wash	2nd FOH	575W		19
65	Source 4 19deg	35		Special	2nd FOH	750W		20

## Port Theatre Instrument Schedule Jan 2019

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	Inst. #
17	Source 4 26deg	31	R02	A7 Front	2nd FOH	575W		21
48	Source 4 26deg	32	R26	FOH Warm Wash	2nd FOH	575W		22
38	Source 4 26deg	33	R68	FOH Cool Wash	2nd FOH	575W		23
18	Source 4 26deg	27	R02	A8 Front	2nd FOH	575W		24
66	Source 4 26deg	29		Special	2nd FOH	750W		25
19	Source 4 26deg	25	R02	A9 Front	2nd FOH	575W		26
20	Source 4 26deg	28	R02	A10 Front	2nd FOH	575W		27
69	PAR 64 MFL	22		Special	2nd FOH	1KW		28
70	PAR 64 MFL	21		Special / VIU	2nd FOH	1KW		29
<b>2nd FOH Lower</b>								
385	S4 26°	50		ICUE	2nd FOH	HPL 575W	550	
386	S4 26°	44		ICUE	2nd FOH	HPL 575w	554	
387	S4 26°	36		ICUE	2nd FOH	HPL 575w	558	
388	S4 26°	30		ICUE	2nd FOH	HPL 575w	562	
CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	Inst. #
<b>1st FOH</b>								
261	S4 - 36°	73		Gobo Tips	1st FOH	HPL 575 w		1
261	S4 - 26°	73		Gobo Tips	1st FOH	HPL 575 w		2
75	S4 -26°	74		Lecturn Top	1st FOH	HPL 575 w		3
307	S4 ParNel	71	R79	Apron Tops Cool	1st FOH	HPL 750 w		4
304	S4 Par MFL	72	R21	Apron Tops Warm	1st FOH	PAR64 1000w MED		5
301	S4 Par	70		Apron Baks Scroll	CityHall Pip	HPL 750 w	531	6.5
304	S4 Par MFL	72	R21	Apron Tops Warm	1st FOH	PAR64 1000w MED		7
308	S4 ParNel	69	R79	Apron Tops Cool	1st FOH	HPL 750 w		8
305	S4 Par MFL	67	R21	Apron Tops Warm	1st FOH	PAR64 1000w MED		9
302	S4 Par	68		Apron Baks Scroll	CityHall Pip	HPL 750 w	532	9.5
80	S4 19°	66		Conductors Specia	1st FOH	HPL 575 w		10
80	S4 19°	66		Conductors Specia	1st FOH DS	HPL 575 w		10.5
305	S4 Par MFL	65	R21	Apron Tops Warm	1st FOH	HPL 575 w		
309	S4 ParNel	64	R79	Apron Tops Cool	1st FOH	HPL 750 w		11
306	S4 Par MFL	60	R21	Apron Tops Warm	1st FOH	PAR64 1000w MED		12
303	S4 Par	62		Apron Baks Scroll	CityHall Pip	HPL 750 w	533	13.5
306	S4 Par MFL	60	R21	Apron Tops Warm	1st FOH	PAR64 1000w MED		14
310	S4 ParNel	61	R79	Apron Tops Cool	1st FOH	HPL 750 w		15
76	S4 - 26	59		Lecturn Top	1st FOH	HPL 575 w		16
271	S4 - 26°	456		Gobo Tips	1st FOH	HPL 575 w		17
271	S4 - 36°	456		Gobo Tips	1st FOH	HPL 575 w		18
CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	Inst. #
<b>1st LX</b>								
263	S4 - 36°	238		Gobo Tip	1st Lx	HPL 575 w		1
263	S4 - 26°	238		Gobo Tip	1st Lx	HPL 575 w		2
461	PAR64	239	R26		1st Lx	PAR64 1000w MED		3
451	PAR64	240	R80		1st Lx	PAR64 1000w MED		4
461	PAR64	239	R26		1st lx	PAR64 1000w MED		5
451	PAR64	240	R80		1st lx	PAR64 1000w MED		6
411	PAR64	242	ow		1st Lx	PAR64 1000w MED		7
389	S4 -26°	243		ICUE	1st Lx	HPL 750 w	2/58	8
441	LED Worklight	464		Worklight	1st Lx	LED		9
161	S4 ParNel	245	R21	Warm Top	1st lx	HPL 750 w		10
411	S4 -Par	243	OW		1st Lx	HPL 750 w		11
181	S4 ParNel	244	R79	Cool Top	1st lx	HPL 750 w		12
281	S4 - 36°	246		Top Down	1st Lx	HPL 575 w		13

## Port Theatre Instrument Schedule Jan 2019

<b>CH</b>	<b>Fixture Type</b>	<b>Dimmer</b>	<b>Colour</b>	<b>Function</b>	<b>Placement</b>	<b>Lamp</b>	<b>DMX</b>	<b>Inst. #</b>
389	S4 - 26°	247		ICUE	1st LX	HPL 575 w	2/62	14
413	S4 -Par	248	OW		1st Lx	HPL 750 w		15
162	S4 ParNel	249	R21	Warm Top	1st lx	HPL 750 w		16
182	S4 ParNel	228	R79	Cool Top	1st lx	HPL 750 w		17
414	S4 - Par	250	OW		1st Lx	HPL 750 w		18
401	VL 1000 TSD	241		Flashy Flashy	1st Lx	1200w HMI	2/86	19
415	S4 -Par	252	OW		1st Lx	HPL 750 w		20
163	S4 ParNel	253	R21	Warm Top	1st Lx	HPL 750 w		21
183	S4 ParNel	254	R79	Cool Top	1st Lx	HPL 750 w		22
416	S4 - Par	255	OW		1st Lx	HPL 575 w		23
390	S4 - 26°	237		IcUE	1st Lx	HPL 575 w	2/66	24
283	S4 - 36°	235		Top Down	1st lx	HPL 575 w		25
164	S4 ParNel	236	R79	Warm Top	1st lx	HPL 750 w		26
417	S4 - Par	255	OW		1st Lx	HPL 750 w		28
184	S4 ParNel	234	R321	Cool Top	1st Lx	HPL 750 w		27
441	LED Worklight	464		Worklight	1st Lx	LED		29
	S4 - 26°	233		IcUE	1st Lx	HPL 575 w	2/70	
418	PAR64	231	OW		1st lx	PAR64 1000w MED		31
455	PAR64	230	R80		1st lx	PAR64 1000w MED		32
465	PAR64	226	R26		1st Lx	PAR64 1000w MED		33
455	PAR64	230	R80		1st LX	PAR64 1000w MED		34
465	PAR64	226	R26		1st Lx	PAR64 1000w MED		35
272	S4 - 26°	227		Gobo Tip	1st lx	HPL 575 w		36
272	S4 - 36°	227		Gobo Tip	1st lx	HPL 575 w		37
<b>CH</b>	<b>Fixture Type</b>	<b>Dimmer</b>	<b>Colour</b>	<b>Function</b>	<b>Placement</b>	<b>Lamp</b>	<b>DMX</b>	<b>Inst. #</b>
<b>2nd LX</b>								
262	S4 - 36°	274		Gobo Tip	2nd Lx	HPL 750 w		1
262	S4 - 26°	274		Gobo Tip	2nd Lx	HPL 750 w		2
462	PAR64	277	R26	Warm Tip	2nd Lx	1000W Med		3
452	PAR64	276	R80	Cool Tip	2nd Lx	1000w Med		4
462	PAR64	277	R26	Warm Tip	2nd Lx	1000W Med		5
452	PAR64	276	R80	Cool Tip	2nd Lx	1000w Med		6
121	ColorSource LED			Back	2nd Lx	Deep Blue Edition	2/276	
22	S4 -26°	281		US Front	2nd Lx	HPL 575 w		
101	S4 Par	279		Scroll Bax	2nd Lx	HPL 750 w		10
	Scoller	513			2nd Lx		2/1	10.5
403	VL 1000 TSD	275		Flashy Flashy	2nd Lx	1200 HMI	2/140	8
165	S4 Parnel	283	R79	Cool Top	2nd Lx	HPL 750 w		13
122	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/281	
185	S4 Parnel	282	R321	Warm Top	2nd Lx	HPL 750 w		14
23	S4 - 26°	285		US Front	2nd Lx	HPL 575 w		16
102	S4 Par	286		Scroll Bax	2nd Lx	HPL 750 w		18
	Scoller				2nd Lx		2/2	18.5
123	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/286	
166	S4 ParNel	290	R79	Cool Top	2nd Lx	HPL 750 w		20
186	S4 ParNel	289	R321	Warm Top	2nd Lx	HPL 750 w		21
24	S4 - 26°	291		US Front	2nd Lx	HPL 575 w		22
283	S4 - 36°	223		Top Down	2nd Lx	HPL 575 w		24
124	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/291	
103	S4 Par	221		Scroll Bax	2nd LX	HPL 750 w		25
	Scoller				2nd LX		2/3	25.5
27	S4 - 26°	220		US Front	2nd Lx	HPL 575 w		27

## Port Theatre Instrument Schedule Jan 2019

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
167	S4 Parnel	273	R321	Warm Top	2nd Lx	HPL 750 w		28
187	S4 Parnel	272	R79	Cool Top	2nd Lx	HPL 750 w		29
125	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/296	
104	S4 Par	271		Scroll Bax	2nd Lx	HPL 750 w		31
	Scroller				2nd Lx		2/4	31.5
28	S4 - 26°	268		US Front	2nd Lx	HPL 575 w		33
168	S4 Parnel	265	R321	Warm Top	2nd Lx	HPL 750 w		35
126	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/301	
188	S4 Parnel	266	R79	Cool Top	2nd Lx	HPL 750 w		36
2/	VL 1000 TSD	260		Flashy Flashy	2nd LX	1200 Hmi	2/167	42
105	S4 Par	262		Scroll Bax	2nd Lx	HPL 750 w		38
	Scoller				2nd Lx		2/5	38.5
29	S4 -26°	264		US Front	2nd Lx	HPL 575 w		40
127	ColorSource LED	277		Back	2nd Lx	Deep Blue Edition	2/306	
456	PAR64	258	R80	Cool tip	2nd LX	1000W Med		43
466	PAR64	257	R26	Warm Tip	2nd Lx	1000 w med		44
456	PAR64	258	R80	cool tip	2nd Lx	1000W Med		45
466	PAR64	257	R26	Warm Tip	2nd Lx	1000 w med		46
273	S4 -26°	256		Gobo Tip	2nd Lx	HPL 575 w		47
273	S4 - 36°	256		Gobo Tip	2nd Lx	HPL 575 w		48
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>3rd LX</i>								
264	S4 - 36deg	310		Gobo Tip	3rd Lx	HPL 750 w		1
264	S4 - 26deg	310		Gobo Tip	3rd Lx	HPL 750 w		2
463	PAR 64 MFL	314	R26	Warm Tip	3rd Lx	1000W Med		3
453	PAR 64 MFL	311	R80	Cool Tip	3rd Lx	1000w Med		4
463	PAR 64 MFL	314	R26	Warm Tip	3rd Lx	1000W Med		5
453	PAR 64 MFL	311	R80	Cool Tip	3rd Lx	1000w Med		6
131	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/311	
106	S4 PAR WFL	316		Scroll Bax	3rd Lx	HPL 750 w		9
	Scroller	2/6			3rd Lx		2/6	9.5
284	S4 - 36°	317		Top Down	3rd LX	HPL 750 w		
169	S4 Parnel	319	R79	Cool Top	3rd Lx	HPL 750 w		11
132	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/316	
189	S4 Parnel	318	R321	Warm Top	3rd Lx	HPL 750 w		12
285		320		Top Down	3rd Lx	HPL 575 w		13
107	S4 PAR WFL	323		Scroll Bax	3rd Lx	HPL 575 w		15
	Scroller				3rd Lx		2/7	15.5
133	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/321	
190	S4 Parnel	326	R79	Cool Top	3rd Lx	HPL 750 w		17
170	S4 Parnel	325	R321	Warn Top	3rd Lx	HPL 750 w		18
286	S4 - 36	327		Top Down	3rd Lx	HPL 575 w		20
134	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/326	
108	S4 PAR WFL	308		Scroll Bax	3rd Lx	HPL 750 w		21
	Scroller				3rd Lx		2/8	21.5
287	S4 - 36	307		Top Down	3rd Lx	HPL 575 w		
171	S4 Parnel	305	R21	Warm Top	3rd Lx	HPL 750 w		23
191	S4 Parnel	304	R79	Cool Top	3rd Lx	HPL 750 w		24
135	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/331	
109	S4 PAR WFL	303		Scroll Bax	3rd Lx	HPL 750 w		26
	Scroller				3rd Lx		2/9	26.5
288	S4 - 36deg	300		Top Down	3rd Lx	HPL 575 w		28

## Port Theatre Instrument Schedule Jan 2019

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
172	S4 Parnel	299	R21	Warm Top	3rd Lx	HPL 750 w		29
136	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition	2/336	
192	S4 Parnel	298	R79	Cool Top	3rd Lx	HPL 750 w		30
289	S4 - 36	297		Top Down	3rd Lx	HPL 575 w		
110	S4 PAR WFL	296		Scroll Box	3rd Lx	HPL 750 w		32
	Scroller				3rd Lx		2/10	32.5
137	ColorSource LED	278		Back	3rd Lx	Deep Blue Edition		
457	PAR 64 MFL	306	R80	Cool Tip	3rd Lx	1000W Med		35
467	PAR 64 MFL	293	R26	Warm Tip	3rd Lx	1000W Med		36
457	PAR 64 MFL	306	R80	Cool Tip	3rd Lx	1000W Med		37
467	PAR 64 MFL	293	R26	Warm Tip	3rd Lx	1000W Med		38
274	S4 - 26deg	292		Gobo Tip	3rd Lx	HPL 575 w		39
274	S4 - 36deg	292		Gobo Tip	3rd Lx	HPL 575 w		40
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>4th LX</i>								
265	Source 4 36deg	334		Gobo Tip	4th LX	HPL 575W		1
265	Source 4 26deg	334		Gobo Tip	4th LX	HPL 575W		2
464	PAR 64 MFL	336	R26		4th LX	1000w MED		3
454	PAR 64 MFL	335	R80		4th LX	1000w MED		4
464	PAR 64 MFL	336	R26		4th LX	1000w MED		5
454	PAR 64 MFL	335	R80		4th LX	1000w MED		6
141	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/341	
444	LED Worklight	465		Worklight	4th LX	LED		7
111	S4 PAR WFL	337		Scroll Box	4th LX	HPL 750w		9
	Scroller				4th LX		2/13	9.5
142	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/346	
290	Source 4 36deg	341		Top Down	4th LX	HPL 575W		13
112	S4 PAR WFL	344		Scroll Box	4th LX	HPL 750w		15
	Scroller				4th LX		2/14	15.5
143	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/351	
392	Source 4 26deg	345		ICUE	4th LX	HPL 575W	2/78	17
444	LED Worklight	465		Worklight	4th LX	LED		
291	S4 -36	347		Top Down	4th LX	HPL 575W		
144	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/356	
113	S4 PAR WFL	348		Scroll Box	4th LX	HPL 750w		21
	Scroller				4th LX		2/15	21.5
394	Source 4 26deg	350		ICUE	4th LX	HPL 575W	2/82	24
145	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/361	
114	S4 PAR WFL	352		Scroll Box	4th LX	HPL 750w		26
	Scroller				4th LX		2/16	26.5
292	Source 4 36deg	354		Top Down	4th LX	HPL 575W		28
146	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/366	
115	S4 PAR WFL	332		Scroll Box	4th LX	HPL 750w		32
	Scroller				4th LX		2/17	32.5
444	LED Worklight	465		Work light	4th LX	LED		34
147	ColorSource LED	338		Back	4th LX	Deep Blue Edition	2/371	
458	PAR 64 MFL	330	R80		4th LX	1000w Med		35
468	PAR 64 MFL	329	R26		4th LX	1000w MED		36
458	PAR 64 MFL	330	R80		4th LX	1000w MED		37
468	PAR 64 MFL	329	R26		4th LX	1000w MED		38
275	Source 4 26deg	328		Gobo Tip	4th LX	HPL 575W		39
275	Source 4 36deg	328		Gobo Tip	4th LX	HPL 575W		40

## Port Theatre Instrument Schedule Jan 2019

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>5th LX</i>								
321	Aurora 4 cell cyc	365	R124	CyC	5th LX	1000w FFT		1
326	Aurora 4 cell cyc	366	R125	CyC	5th LX	1000w FFT		
331	Aurora 4 cell cyc	367	R126	CyC	5th LX	1000w FFT		
336	Aurora 4 cell cyc	364	R127	CyC	5th LX	1000w FFT		
321	Aurora 4 cell cyc	365	R124	CyC	5th LX	1000w FFT		2
326	Aurora 4 cell cyc	366	R125	CyC	5th LX	1000w FFT		
331	Aurora 4 cell cyc	367	R126	CyC	5th LX	1000w FFT		
336	Aurora 4 cell cyc	364	R127	CyC	5th LX	1000w FFT		
322	Aurora 4 cell cyc	369	R124	CyC	5th LX	1000w FFT		3
327	Aurora 4 cell cyc	358	R125	CyC	5th LX	1000w FFT		
332	Aurora 4 cell cyc	359	R126	CyC	5th LX	1000w FFT		
337	Aurora 4 cell cyc	360	R127	CyC	5th LX	1000w FFT		
322	Aurora 4 cell cyc	369	R124	CyC	5th LX	1000w FFT		4
327	Aurora 4 cell cyc	358	R125	CyC	5th LX	1000w FFT		
332	Aurora 4 cell cyc	359	R126	CyC	5th LX	1000w FFT		
337	Aurora 4 cell cyc	360	R127	CyC	5th LX	1000w FFT		
323	Aurora 4 cell cyc	361	R124	CyC	5th LX	1000w FFT		5
328	Aurora 4 cell cyc	362	R125	CyC	5th LX	1000w FFT		
333	Aurora 4 cell cyc	363	R126	CyC	5th LX	1000w FFT		
338	Aurora 4 cell cyc	370	R127	CyC	5th LX	1000w FFT		
323	Aurora 4 cell cyc	361	R124	CyC	5th LX	1000w FFT		6
328	Aurora 4 cell cyc	362	R125	CyC	5th LX	1000w FFT		
333	Aurora 4 cell cyc	363	R126	CyC	5th LX	1000w FFT		
338	Aurora 4 cell cyc	370	R127	CyC	5th LX	1000w FFT		
324	Aurora 4 cell cyc	371	R124	CyC	5th LX	1000w FFT		7
329	Aurora 4 cell cyc	372	R125	CyC	5th LX	1000w FFT		
334	Aurora 4 cell cyc	373	R126	CyC	5th LX	1000w FFT		
339	Aurora 4 cell cyc	374	R127	CyC	5th LX	1000w FFT		
324	Aurora 4 cell cyc	371	R124	CyC	5th LX	1000w FFT		8
329	Aurora 4 cell cyc	372	R125	CyC	5th LX	1000w FFT		
334	Aurora 4 cell cyc	373	R126	CyC	5th LX	1000w FFT		
339	Aurora 4 cell cyc	374	R127	CyC	5th LX	1000w FFT		
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>1st Ladder SR</i>								
211	Source 4 26deg	169	R356	Sides Warm	SR Ladder	HPL 575W		1
201	Source 4 26deg	168	R64	Sides Cool	SR Ladder	HPL 575W		2
231	Source 4 36deg	167	R356	Sides Warm	SR Ladder	HPL 575W		3
221	Source 4 36deg	166	R64	Sides Cool	SR Ladder	HPL 575W		4
<i>1st Ladder SL</i>								
212	Source 4 26deg	176	R356	Sides Warm	SL Ladder	HPL 575W		1
202	Source 4 26deg	175	R64	Sides Cool	SL Ladder	HPL 575W		2
232	Source 4 36deg	174	R356	Sides Warm	SL Ladder	HPL 575W		3
222	Source 4 36deg	173	R64	Sides Cool	SL Ladder	HPL 575W		4
<i>2nd Ladder SR</i>								
213	Source 4 26deg	163	R356	Sides Warm	SR Ladder	HPL 575W		1
203	Source 4 26deg	162	R64	Sides Cool	SR Ladder	HPL 575W		2
233	Source 4 36deg	161	R356	Sides Warm	SR Ladder	HPL 575W		3
223	Source 4 36deg	160	R64	Sides Cool	SR Ladder	HPL 575W		4
<i>2nd Ladder SL</i>								
214	Source 4 26deg	181	R356	Sides Warm	SL Ladder	HPL 575W		1

## Port Theatre Instrument Schedule Jan 2019

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
204	Source 4 26deg	180	R64	Sides Cool	SL Ladder	HPL 575W		2
234	Source 4 36deg	179	R356	Sides Warm	SL Ladder	HPL 575W		3
224	Source 4 36deg	178	R64	Sides Cool	SL Ladder	HPL 575W		4
<b>3rd Ladder SR</b>								
215	Source 4 26deg	158	R356	Sides Warm	SR Ladder	HPL 575W		1
205	Source 4 26deg	157	R64	Sides Cool	SR Ladder	HPL 575W		2
235	Source 4 36deg	156	R356	Sides Warm	SR Ladder	HPL 575W		3
225	Source 4 36deg	155	R64	Sides Cool	SR Ladder	HPL 575W		4
<b>3rd Ladder SL</b>								
216	Source 4 26deg	187	R356	Sides Warm	SL Ladder	HPL 575W		1
206	Source 4 26deg	186	R64	Sides Cool	SL Ladder	HPL 575W		2
236	Source 4 36deg	185	R356	Sides Warm	SL Ladder	HPL 575W		3
226	Source 4 36deg	184	R64	Sides Cool	SL Ladder	HPL 575W		4
<b>4th Ladder SR</b>								
217	Source 4 26deg	151	R356	Sides Warm	SR Ladder	HPL 575W		1
207	Source 4 26deg	150	R64	Sides Cool	SR Ladder	HPL 575W		2
237	Source 4 36deg	149	R356	Sides Warm	SR Ladder	HPL 575W		3
227	Source 4 36deg	148	R64	Sides Cool	SR Ladder	HPL 575W		4
<b>4th Ladder SL</b>								
218	Source 4 26deg	193	R356	Sides Warm	SL Ladder	HPL 575W		1
208	Source 4 26deg	192	R64	Sides Cool	SL Ladder	HPL 575W		2
238	Source 4 36deg	191	R356	Sides Warm	SL Ladder	HPL 575W		3
228	Source 4 36deg	190	R64	Sides Cool	SL Ladder	HPL 575W		4
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<b>HL Lower Loge</b>								
95	Source 4 50deg	96		Curtain Warmer	Loge	HPL 575w		1
<b>HR Lower Loge</b>								
96	Source 4 50deg	95		Curtain Warmer	Loge	hpl 575w		1
<b>HL Upper Loge</b>								
91	Source 4 19deg	91		special	Loge	hpl 575w		1
92	Source 4 26deg	90		special	Loge	hpl 575w		2
<b>HR Upper Loge</b>								
93	Source 4 19deg	75		Special	Loge	hpl 575w		1
94	Source 4 26deg	76		Special	Loge	hpl 575w		2
<b>HL NearTorm</b>								
372	Source 4 26deg	136		Tips	Torm	HPL 575W		5
362	Source 4 26deg	135		Tips	Torm	HPL 575W		4
371	Source 4 36deg	134		Tips	Torm	HPL 575W		3
361	Source 4 36deg	133		Tips	Torm	HPL 575W		2
82	Source 4 26deg	123		Caliper Top	Torm	hpl 575w		1
<b>HL Far Torm</b>								
81	Source 4 26deg	124		Caliper Top	Torm	hpl 575w		1
71	Source 4 26deg	131		Special	Torm	hpl 575w		2
72	Source 4 26deg	132		Special	Torm	hpl 575w		3
<b>HR Near Torm</b>								
374	Source 4 26deg	118		Tips	Torm	HPL 575W		5
364	Source 4 26deg	117		Tips	Torm	HPL 575W		4
373	Source 4 36deg	116		Tips	Torm	HPL 575W		3
363	Source 4 36deg	115		Tips	Torm	HPL 575W		2
84	Source 4 26deg	119		Caliper Top	Torm	hpl 575w		1
<b>HR Far Torm</b>								
83	Source 4 26deg	120		Caliper Top	Torm	hpl 575w		1

## Port Theatre Instrument Schedule Jan 2019

<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
73	Source 4 26deg	107		Special	Torm	hpl 575w		2
74	Source 4 26deg	108		Special	Torm	hpl 575w		3
<i>CH</i>	<i>Fixture Type</i>	<i>Dimmer</i>	<i>Colour</i>	<i>Function</i>	<i>Placement</i>	<i>Lamp</i>	<i>DMX</i>	<i>Inst. #</i>
<i>Balcony Rail</i>								
311	Source 4 10Deg	88		Special	Balcony	HPL 575w		1
312	Source 4 10Deg	87		Special	Balcony	HPL 575w		2
313	source 4 26deg	82		Caliper Front	Balcony	HPL 575w		3
314	Source 4 10Deg	83		Special	Balcony	HPL 575w		4
315	Source 4 10Deg	84		Special	Balcony	HPL 575w		5
316	Source 4 26deg	81		Caliper Front	Balcony	HPL 575w		6
315	Source 4 10Deg	78		Special	Balcony	HPL 575w		7
316	Source 4 10Deg	77		Special	Balcony	HPL 575w		8
<i>Worklight Pipe</i>								
445	LED Worklight	197		LED Worklight	Midstage Pi	LED		
446	LED Worklight	198		LED Worklight	SR High Fly	LED		
447	LED Worklight	468		LED Worklight	SL High Fly	LED		