

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
51	S4 - 19°	449		Special	3rd FOH	HPL 750W		5
52	S4 - 19°	447		Special	3rd FOH	HPL 750W		8
53	S4 - 19°	111		Special	3rd FOH	HPL 750W		12
54	S4 - 19°	11		Special	3rd FOH	HPL 750W		13
55	S4 - 19°	446		Special	3rd FOH	HPL 750W		17
56	S4 - 19°	445		Special	3rd FOH	HPL 750W		19
57								
61	Source 4 26deg	51		Special	2nd FOH	750W		5
62	Source 4 19deg	45		Special	2nd FOH	750W		10
63	Source 4 19deg	41		Special	2nd FOH	750W		14
64	Source 4 19deg	39		Special	2nd FOH	750W		16
65	Source 4 19deg	35		Special	2nd FOH	750W		20
66	Source 4 26deg	29		Special	2nd FOH	750W		25
67	PAR 64 MFL	58		Special / VIU	2nd FOH	1KW		1
68	PAR 64 MFL	57		Special	2nd FOH	1KW		2
69	PAR 64 MFL	22		Special	2nd FOH	1KW		28
70	PAR 64 MFL	21		Special / VIU	2nd FOH	1KW		29
71	Source 4 26deg	131		Special	Torm	hpl 575w		2
72	Source 4 26deg	132		Special	Torm	hpl 575w		3
73	Source 4 26deg	107		Special	Torm	hpl 575w		2
74	Source 4 26deg	108		Special	Torm	hpl 575w		3
75	S4 - 26°	74		Lecturn Top	1st FOH	HPL 575 w		5
76	S4 - 26	59		Lecturn Top	1st FOH	HPL 575 w		16
78				Special	2nd FOH			
79	Source 4 26deg	40		Special	2nd FOH	750W		15
80	S4 19°	66		Conductors Sp	1st FOH	HPL 575 w		11
81	Source 4 26deg	134		Caliper Top	Torm	hpl 575w		1
82	Source 4 26deg	133		Caliper Top	Torm	hpl 575w		1
83	Source 4 26deg	120		Caliper Top	Torm	hpl 575w		1
84	Source 4 26deg	119		Caliper Top	Torm	hpl 575w		1
85	Source 4 26deg	81		Caliper Front	Balcony	HPL 575w		6
86	source 4 26deg	82		Caliper Front	Balcony	HPL 575w		3
87								
88	S4 50°	96		Curtain Warmer	Lower Loge	HPL 575w		
89	S4 50°	95		Curtain Warmer	Lower Loge	HPL 575w		
91	Source 4 10Deg	88		Special	Balcony	HPL 575w		1
92	Source 4 10Deg	87		Special	Balcony	HPL 575w		2
93	Source 4 10Deg	84		Special	Balcony	HPL 575w		4
94	Source 4 10Deg	83		Special	Balcony	HPL 575w		5
95	Source 4 10Deg	78		Special	Balcony	HPL 575w		7
96	Source 4 10Deg	77		Special	Balcony	HPL 575w		8
97	Source 4 19deg	90		special	Loge	hpl 575w		1
98	Source 4 26deg	91		special	Loge	hpl 575w		2
99	Source 4 19deg	75		Special	Loge	hpl 575w		1
100	Source 4 26deg	76		Special	Loge	hpl 575w		2
101	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/156	9

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
102	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/162	12
103	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/168	17
104	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/174	20
105	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/186	25
106	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/192	30
107	CS Par			Top/Blinder	1st Lx	Deep Blue Edition	2/198	33
111	CS Par			Back	2nd Lx	Deep Blue Edition	2/204	7
112	CS Par			Back	2nd Lx	Deep Blue Edition	2/210	12
113	CS Par			Back	2nd Lx	Deep Blue Edition	2/216	16
114	CS Par			Back	2nd Lx	Deep Blue Edition	2/222	21
115	CS Par			Back	2nd Lx	Deep Blue Edition	2/228	26
116	CS Par			Back	2nd Lx	Deep Blue Edition	2/234	30
117	CS Par			Back	2nd Lx	Deep Blue Edition	2/240	35
121	CS Par			Back	3rd Lx	Deep Blue Edition	2/246	7
122	CS Par			Back	3rd Lx	Deep Blue Edition	2/252	11
123	CS Par			Back	3rd Lx	Deep Blue Edition	2/258	15
124	CS Par			Back	3rd Lx	Deep Blue Edition	2/264	19
125	CS Par			Back	3rd Lx	Deep Blue Edition	2/270	24
126	CS Par			Back	3rd Lx	Deep Blue Edition	2/276	28
127	CS Par			Back	3rd Lx	Deep Blue Edition	2/282	32
131	CS Par			Back	4th LX	Deep Blue Edition	2/288	7
132	CS Par			Back	4th LX	Deep Blue Edition	2/294	10
133	CS Par			Back	4th LX	Deep Blue Edition	2/300	13
134	CS Par			Back	4th LX	Deep Blue Edition	2/306	17
135	CS Par			Back	4th LX	Deep Blue Edition	2/312	21
136	CS Par			Back	4th LX	Deep Blue Edition	2/318	24
137	CS Par			Back	4th LX	Deep Blue Edition	2/324	27
132								
141	CS Spot 50°			LED Shin		Deep Blue Edition	2/402	
142	CS Spot 50°			LED Shin		Deep Blue Edition	2/408	
143	CS Spot 50°			LED Shin		Deep Blue Edition	2/414	
144	CS Spot 50°			LED Shin		Deep Blue Edition	2/420	
145	CS Spot 50°			LED Shin		Deep Blue Edition	2/426	
146	CS Spot 50°			LED Shin		Deep Blue Edition	2/432	
147	CS Spot 50°			LED Shin		Deep Blue Edition	2/438	
148	CS Spot 50°			LED Shin		Deep Blue Edition	2/444	
145								
151	CS Spot 26°			Colour Tips	Torm	Deep Blue Edition	2/330	4
151	CS Spot 36°			Colour Tips	Torm	Deep Blue Edition	2/336	2
152	CS Spot 26°			Colour Tips	Torm	Deep Blue Edition	2/342	4
152	CS Spot 36°			Colour Tips	Torm	Deep Blue Edition	2/348	2
153	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	2/354	1
154	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	2/360	1
155	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	2/366	1
156	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	2/372	1
157	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	2/378	1
158	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	2/384	1

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
159	CS Spot 26°			LED High Side	SR Ladder	Deep Blue Edition	2/390	1
160	CS Spot 26°			LED High Side	SL Ladder	Deep Blue Edition	2/396	1
159								
161	CS Cyc			Cyc Groundrow			3/55	
162	CS Cyc			Cyc Groundrow			3/62	
163	CS Cyc			Cyc Groundrow			3/69	
164	CS Cyc			Cyc Groundrow			3/76	
165	CS Cyc			Cyc Groundrow			3/83	
166	CS Cyc			Cyc Groundrow			3/90	
167	CS Cyc			Cyc Groundrow			3/97	
171	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/450	
172	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/456	
173	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/462	
174	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/468	
175	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/474	
176	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/480	
177	CS Spot Cyc			CyC	5th LX	Deep Blue Edition	2/486	
181	CS Par			Floater		Deep Blue Edition	3/1	
182	CS Par			Floater		Deep Blue Edition	3/7	
183	CS Par			Floater		Deep Blue Edition	3/13	
184	CS Par			Floater		Deep Blue Edition	3/19	
185	CS Par			Floater		Deep Blue Edition	3/25	
186	CS Par			Floater		Deep Blue Edition	3/31	
187	CS Par			Floater		Deep Blue Edition	3/37	
188	CS Par			Floater		Deep Blue Edition	3/43	
189	CS Par			Floater		Deep Blue Edition	3/49	
191	S4 Lustr s2			Floater		LED	3/104	
192	S4 Lustr s2			Floater		LED	3/114	
195								
201	S4 Par	281		Scroll Bax	2nd Lx	HPL 750 w	2/1	9
202	S4 Par	287		Scroll Bax	2nd Lx	HPL 750 w	2/2	15
203	S4 Par	273		Scroll Bax	2nd LX	HPL 750 w	2/3	22
204	S4 Par	266		Scroll Bax	2nd Lx	HPL 750 w	2/4	27
205	S4 Par	261		Scroll Bax	2nd Lx	HPL 750 w	2/5	33
206	S4 PAR WFL	316		Scroll Bax	3rd Lx	HPL 750 w	2/6	8
207	S4 PAR WFL	323		Scroll Bax	3rd Lx	HPL 575 w	2/7	14
208	S4 PAR WFL	308		Scroll Bax	3rd Lx	HPL 750 w	2/8	20
209	S4 PAR WFL	303		Scroll Bax	3rd Lx	HPL 750 w	2/9	25
210	S4 PAR WFL	296		Scroll Bax	3rd Lx	HPL 750 w	2/10	31
211	S4 PAR WFL	356		Scroll Bax	4th LX	HPL 750w	2/11	9
212	S4 PAR WFL	341		Scroll Bax	4th LX	HPL 750w	2/12	12
213	S4 PAR WFL	344		Scroll Bax	4th LX	HPL 750w	2/13	18
214	S4 PAR WFL	333		Scroll Bax	4th LX	HPL 750w	2/14	22
215	S4 PAR WFL	331		Scroll Bax	4th LX	HPL 750w	2/15	25

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
218								
221	S4 ParNel	242	R79	Cool Top	1st lx	HPL 750 w		11
222	S4 ParNel	246	R79	Cool Top	1st lx	HPL 750 w		18
223	S4 ParNel	249	R79	Cool Top	1st Lx	HPL 750 w		24
224	S4 ParNel	233	R321	Cool Top	1st Lx	HPL 750 w		31
225	S4 Parnel	283	R321	Warm Top	2nd Lx	HPL 750 w		13
226	S4 ParNel	288	R79	Cool Top	2nd Lx	HPL 750 w		17
227	S4 Parnel	267	R79	Cool Top	2nd Lx	HPL 750 w		25
228	S4 Parnel	263	R79	Cool Top	2nd Lx	HPL 750 w		31
229	S4 Parnel	318	R79	Cool Top	3rd Lx	HPL 750 w		12
230	S4 Parnel	325	R79	Cool Top	3rd Lx	HPL 750 w		17
231	S4 Parnel	305	R79	Cool Top	3rd Lx	HPL 750 w		22
232	S4 Parnel	298	R79	Cool Top	3rd Lx	HPL 750 w		27
232								
241	S4 ParNel	243	R21	Warm Top	1st lx	HPL 750 w		13
242	S4 ParNel	247	R21	Warm Top	1st lx	HPL 750 w		19
243	S4 ParNel	248	R21	Warm Top	1st Lx	HPL 750 w		23
244	S4 ParNel	234	R79	Warm Top	1st lx	HPL 750 w		29
245	S4 Parnel	282	R79	Cool Top	2nd Lx	HPL 750 w		11
246	S4 ParNel	289	R321	Warm Top	2nd Lx	HPL 750 w		18
247	S4 Parnel	268	R321	Warm Top	2nd Lx	HPL 750 w		24
248	S4 Parnel	264	R321	Warm Top	2nd Lx	HPL 750 w		29
249	S4 Parnel	319	R321	Warm Top	3rd Lx	HPL 750 w		10
250	S4 Parnel	326	R321	Warm Top	3rd Lx	HPL 750 w		16
251	S4 Parnel	305	R321	Warm Top	3rd Lx	HPL 750 w		23
252	S4 Parnel	299	R321	Warm Top	3rd Lx	HPL 750 w		29
246								
261	S4 - 36°	73		Gobo Tips	1st FOH	HPL 575 w		1
261	S4 - 26°	73		Gobo Tips	1st FOH	HPL 575 w		2
262	S4 - 26°	456		Gobo Tips	1st FOH	HPL 575 w		19
262	S4 - 36°	456		Gobo Tips	1st FOH	HPL 575 w		20
263	S4 - 36°	238		Gobo Tip	1st Lx	HPL 575 w		1
263	S4 - 26°	238		Gobo Tip	1st Lx	HPL 575 w		2
264	S4 - 26°	226		Gobo Tlp	1st lx	HPL 575 w		40
264	S4 - 36°	226		Gobo Tip	1st lx	HPL 575 w		41
265	S4 - 36°	274		Gobo Tip	2nd Lx	HPL 750 w		1
265	S4 - 26°	274		Gobo Tip	2nd Lx	HPL 750 w		2
266	S4 - 26°	256		Gobo Tlp	2nd Lx	HPL 575 w		40
266	S4 - 36°	256		Gobo Tip	2nd Lx	HPL 575 w		41
267	S4 - 36deg	310		Gobo Tip	3rd Lx	HPL 750 w		1
267	S4 - 26deg	310		Gobo Tip	3rd Lx	HPL 750 w		2
268	S4 - 26deg	292		Gobo Tlp	3rd Lx	HPL 575 w		37
268	S4 - 36deg	292		Gobo Tip	3rd Lx	HPL 575 w		38
269	Source 4 36deg	352		Gobo Tip	4th LX	HPL 575W		1
269	Source 4 26deg	352		Gobo Tip	4th LX	HPL 575W		2
270	Source 4 26deg	328		Gobo Tlp	4th LX	HPL 575W		32
270	Source 4 36deg	328		Gobo Tip	4th LX	HPL 575W		33

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
271	S4 - 50°	359		Cyc Gobo	5th LX	HPL 575W		
272	S4 - 50°	360		Cyc Gobo	5th LX	HPL 575W		
273	S4 - 50°	361		Cyc Gobo	5th LX	HPL 575W		
274	S4 - 50°	362		Cyc Gobo	5th LX	HPL 575W		
272								
281	S4 - 36°	244		Top Down	1st Lx	HPL 575 w		14
282	S4 - 36°	235		Top Down	1st lx	HPL 575 w		28
283	S4 - 36°	291		Top Down	2nd Lx	HPL 575 w		20
284	S4 - 36°	317		Top Down	3rd LX	HPL 750 w		9
285	S4 - 36°	320		Top Down	3rd Lx	HPL 575 w		13
286	S4 - 36	327		Top Down	3rd Lx	HPL 575 w		18
287	S4 - 36	307		Top Down	3rd Lx	HPL 575 w		21
288	S4 - 36deg	300		Top Down	3rd Lx	HPL 575 w		26
289	S4 - 36	297		Top Down	3rd Lx	HPL 575 w		30
290	Source 4 36deg	340		Top Down	4th LX	HPL 575W		11
291	S4 -36	343		Top Down	4th LX	HPL 575W		15
292	Source 4 36deg	332		Top Down	4th LX	HPL 575W		23
292								
301	PAR64	240	R80		1st Lx	PAR64 1000w MED		4
301	PAR64	240	R80		1st lx	PAR64 1000w MED		6
302	PAR64	231	R80		1st lx	PAR64 1000w MED		36
302	PAR64	231	R80		1st LX	PAR64 1000w MED		38
303	PAR64	276	R80	Cool Tip	2nd Lx	1000w Med		4
303	PAR64	276	R80	Cool Tip	2nd Lx	1000w Med		6
304	PAR64	258	R80	Cool tip	2nd LX	1000W Med		36
304	PAR64	258	R80	cool tip	2nd Lx	1000W Med		38
305	PAR 64 MFL	311	R80	Cool Tip	3rd Lx	1000w Med		4
305	PAR 64 MFL	311	R80	Cool Tip	3rd Lx	1000w Med		6
306	PAR 64 MFL	306	R80	Cool Tip	3rd Lx	1000W Med		33
306	PAR 64 MFL	306	R80	Cool Tip	3rd Lx	1000W Med		35
307	PAR 64 MFL	354	R80		4th LX	1000w MED		4
307	PAR 64 MFL	354	R80		4th LX	1000w MED		6
308	PAR 64 MFL	330	R80		4th LX	1000w Med		28
308	PAR 64 MFL	330	R80		4th LX	1000w MED		30
309								
311	PAR64	239	R26		1st Lx	PAR64 1000w MED		3
311	PAR64	239	R26		1st lx	PAR64 1000w MED		5
312	PAR64	228	R26		1st Lx	PAR64 1000w MED		37
312	PAR64	228	R26		1st Lx	PAR64 1000w MED		39
313	PAR64	275	R26	Warm Tip	2nd Lx	1000W Med		3
313	PAR64	275	R26	Warm Tip	2nd Lx	1000W Med		5
314	PAR64	257	R26	Warm Tip	2nd Lx	1000 w med		37
314	PAR64	257	R26	Warm Tip	2nd Lx	1000 w med		39
315	PAR 64 MFL	314	R26	Warm Tip	3rd Lx	1000W Med		3
315	PAR 64 MFL	314	R26	Warm Tip	3rd Lx	1000W Med		5
316	PAR 64 MFL	293	R26	Warm Tip	3rd Lx	1000W Med		34
316	PAR 64 MFL	293	R26	Warm Tip	3rd Lx	1000W Med		36

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
317	PAR 64 MFL	353	R26		4th LX	1000w MED		3
317	PAR 64 MFL	353	R26		4th LX	1000w MED		5
318	PAR 64 MFL	329	R26		4th LX	1000w MED		29
318	PAR 64 MFL	329	R26		4th LX	1000w MED		31
332								
341	S4 50°	428	R99	Overshin		575w		
342	S4 50°	426	R99	Overshin		575w		
343	S4 50°	420	R99	Overshin		575w		
344	S4 50°	416	R99	Overshin		575w		
345	S4 50°	376	R99	Overshin		575w		
346	S4 50°	384	R99	Overshin		575w		
347	S4 50°	390	R99	Overshin		575w		
348	S4 50°	392	R99	Overshin		575w		
346								
351	Source 4 26deg	135		Tips	Torm	HPL 575W		5
351	Source 4 36deg	136		Tips	Torm	HPL 575W		3
352	Source 4 26deg	115		Tips	Torm	HPL 575W		5
352	Source 4 36deg	116		Tips	Torm	HPL 575W		3
353	Source 4 36deg	156			SR Ladder	HPL 575W		4
354	Source 4 36deg	165			SL Ladder	HPL 575W		4
355	Source 4 36deg	157			SR Ladder	HPL 575W		4
356	Source 4 36deg	164			SL Ladder	HPL 575W		4
357	Source 4 36deg	158			SR Ladder	HPL 575W		4
358	Source 4 36deg	163			SL Ladder	HPL 575W		4
359	Source 4 36deg	154			SR Ladder	HPL 575W		4
360	Source 4 36deg	162			SL Ladder	HPL 575W		4
364								
381	S4 19°	17		I Cue	3rd FOH Low	HPL 575 w	2/22	
382	S4 19°	14		I cue	3rd FOH Low	HPL 575 w	2/26	
383	S4 19°	9		I cue	3rd FOH Low	HPL 575 w	2/30	
384	S4 19°	6		I cue	3rd FOH Low	HPL 575 w	2/34	
385	S4 26°	50		ICUE	2nd FOH	HPL 575W	2/32	
386	S4 26°	44		ICUE	2nd FOH	HPL 575w	2/36	
387	S4 26°	36		ICUE	2nd FOH	HPL 575w	2/40	
388	S4 26°	30		ICUE	2nd FOH	HPL 575w	2/44	
389	S4 -26°	241		ICUE	1st Lx	HPL 750 w	2/48	7
390	S4 - 26°	245		ICUE	1st LX	HPL 575 w	2/52	15
391	S4 - 26°	236		Icue	1st Lx	HPL 575 w	2/56	27
392	S4 - 26°	232		Icue	1st Lx	HPL 575 w	2/60	35
393	Source 4 26deg	342		ICUE	4th LX	HPL 575W	2/64	14
394	Source 4 26deg	345		ICUE	4th LX	HPL 575W	2/68	20
401	S4 Par Wide			apron scroller	1st FOH	HPL 575W	2/16	
402	S4 Par Wide			apron scroller	1st FOH	HPL 575W	2/17	
403	S4 Par Wide			apron scroller	1st FOH	HPL 575W	2/18	
411	S4 Par Wide	72	R321	Apron Warm	1st FOH	HPL 575W		

Port Theatre House Patch Sept 2019

Channel Schedule

CH	Fixture Type	Dimmer	Colour	Function	Placement	Lamp	DMX	
412	S4 Par Wide	65	R321	Apron Warm	1st FOH	HPL 575W		
413	S4 Par Wide	60	R321	Apron Warm	1st FOH	HPL 575W		
421	ParNel	71	R79	Apron Cool	1st FOH	HPL 575W		
422	ParNel	69	R79	Apron Cool	1st FOH	HPL 575W		
423	ParNel	64	R79	Apron Cool	1st FOH	HPL 575W		
424	ParNel	61	R79	Apron Cool	1st FOH	HPL 575W		
392								
441	LED Worklight	464		Work Light	1st	LED		
442	LED Worklight	197		Work light	Midstage Pipe	LED		
443	LED Worklight	465		Work light	4th	LED		
444	LED Worklight	198		Work light	SR High Rail	LED		
445	LED Worklight	468		Work light	SL High Rail	LED		
400								
501	VL 1000 TSD	230		Flashy Flashy	1st Lx	1200w HMI	2/69	21
502	VL 1000 TSD	279		Flashy Flashy	2nd Lx	1200 HMI	2/96	10
503	VL 1000 TSD	261		Flashy Flashy	2nd LX	1200 Hmi	2/123	32
404								
601	House	479		House	Catwalk 2 HR			
602	House	480		House	Catwalk 2 HL			
603	House	481		House	Catwalk 3 HR			
604	House	490		House	Catwalk 3 HL			
605	House	491		House	Inside Under Balcony			
606	House	492		House	Outside Under Balcony			
607	House	493		House	Rear wall main floor			
608	House	494		House	Main floor entry aisles			
609	House	495		House	Main floor loges			
610	House	496		House	½ Chandelier			
611	House	497		House	½ Chandelier			
612	House	506		House	Rear Balcony			
613	House	507		House	Rear Wall Balcony			
614	House	508		House	½ balcony loges			
615	House	509		House	½ balcony loges			
616	House	510		House	light locks			
451								
997	LED Power	121, 122, 159, 160, 277, 278, 357, 358, 229						
939	Power Supplies	63, 259, 312, 355, 227						
940	VL1000 power	262, 279, 230						